

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	5	"6717944"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:31
L4	1	(vpn\$4) with (establish\$4 creat\$4) same flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L5	701	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual (lan\$1 local adj area adj network\$4 private adj network\$4))).ab.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L6	701	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual (lan\$1 local adj area adj network\$4 private adj network\$4))).ab.ti. and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L7	0	creat\$4 near10 VPN same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L8	59	virtual adj1 circuit\$4 near10 vpn\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L9	11	virtual adj1 circuit\$4 same vpn\$4 with (establish\$4 creat\$4 connect\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L10	6	vc with vpn\$4 with (establish\$4 creat\$4 connect\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39
L11	6	flood\$4 same (establish\$4 creat\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:39



EAST Search History

L12	0	370/389-390.3cccls. and 709/227-232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 11:40
S1	42	virtual adj1 circuit\$4 near10 vpn\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:36
S2	2	"6789121".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:23
S3	1	"6654347".PN.	USPAT; USOCR	OR	OFF	2005/01/24 08:18
S4	1	"20010034758".PN.	US-PGPUB	OR	OFF	2005/01/24 08:19
S5	1	"20030108051".PN.	US-PGPUB	OR	OFF	2005/01/24 08:19
S6	1	"20030110268".PN.	US-PGPUB	OR	OFF	2005/01/24 08:20
S7	1	"20030108051".PN.	US-PGPUB	OR	OFF	2005/01/24 08:20
S8	18	"318631"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:23
S9	10	"1318631"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:24
S10	7	"1372298"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:25
S11	9	virtual adj1 circuit\$4 same vpn\$4 with (establish\$4 creat\$4 connect\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:39
S12	490	vpn\$4 with (establish\$4 creat\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:41

EAST Search History

S13	5	vc with vpn\$4 with (establish\$4 creat\$4 connect\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:39
S14	33	vpn\$4 with (establish\$4 creat\$4) and @ad<"20020122" and flood\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:59
S15	1	vpn\$4 with (establish\$4 creat\$4) same flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:43
S16	14	(virtual adj circuit\$4 vc\$3) with (establish\$4 creat\$4) same flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:49
S17	1	(vpn\$4) with (establish\$4 creat\$4) same flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 08:50
S18	0	flood\$4 near10 request\$4 near10 (establish\$4 creat\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:48
S19	1	flood\$4 near10 (establish\$4 creat\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:01
S20	2651	(establish\$4 creat\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:11
S21	6	flood\$4 same (establish\$4 creat\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 09:17
S22	7	flood\$4 same (request\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:20

EAST Search History

S23	565	(send\$4 transmit\$4 forward\$4 near5 all) same (request\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:46
S24	0	((send\$4 transmit\$4 forward\$4) near5 all) same (request\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:48
S25	0	flood\$4 near10 request\$4 near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:49
S26	1523	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:51
S27	2	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same flood\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:52
S28	173	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:52
S29	136	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:53
S30	31	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4 and @ad<"20020122" and (709/227-229,230,232 370/389,390,392,395.1,396,395.21,338,395.53). ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 11:55
S31	97	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4 and @ad<"20020122" and "370"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:13

EAST Search History

S32	3162	(setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual (lan\$1 local adj area adj network\$4 private adj network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:19
S33	631	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual (lan\$1 local adj area adj network\$4 private adj network\$4))).ab.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:19
S34	631	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual (lan\$1 local adj area adj network\$4 private adj network\$4))).ab.ti. and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:20
S35	11	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual adj2 (lan\$1 local adj area adj network\$4 private adj network\$4))).ab.ti. and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:34
S36	24	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual adj2 (lan\$1 local adj area adj network\$4 private adj network\$4))) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:35
S37	30	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 vlan\$1 virtual adj2 (lan\$1 local adj area adj network\$4 private adj network\$4))) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 15:49
S38	144	((setup (set\$4 adj up) establish\$4) with (vc tunnel\$4 virtual adj (circuit\$4 connection\$1)) with (vpn\$1 vlan\$1 virtual adj2 (lan\$1 local adj area adj network\$4 private adj network\$4))) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/24 16:29
S39	2	"6789121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 10:44
S40	4	("20010034758" "20030108051" "20030110268" "6654347").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 10:44

EAST Search History

S41	0	((send\$4 transmit\$4 forward\$4) near5 all) same (request\$4) near10 (vc virtual adj1 circuit\$4 vpn\$1 virtual adj private adj network\$4) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:13
S42	53	virtual adj1 circuit\$4 near10 vpn\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:13
S43	1	(vpn\$4) with (establish\$4 creat\$4) same flood\$4 and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:14
S44	105	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4 and @ad<"20020122" and "370"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:14
S45	155	((setup (set\$4 adj up) establish\$4) with (vc tunnel\$4 virtual adj (circuit\$4 connection\$1)) with (vpn\$1 vlan\$1 virtual adj2 (lan\$1 local adj area adj network\$4 private adj network\$4))) and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:14
S46	12	((setup (set\$4 adj up) establish\$4) with (vc virtual adj (circuit\$4 connection\$1)) with (vpn\$1 virtual adj2 (lan\$1 local adj area adj network\$4 private adj network\$4))). ab.ti. and @ad<"20020122"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:14
S47	35	vpn\$4 with (establish\$4 creat\$4) and @ad<"20020122" and flood\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:14
S48	105	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4 and @ad<"20020122" and "370"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:18
S49	33	(setup set\$4 adj1 up) near10 (vpn vc virtual adj (circuit\$1 private adj network\$4)) same forward\$4 and @ad<"20020122" and (709,227-229,230,232 370/389,390, 392,395.1,396,395.21,338,395.53). cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 11:19

EAST Search History

S50	245	creat\$4 near10 VPN and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:24
S51	2	creat\$4 near10 VPN same VLAN and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:27
S52	0	creat\$4 near10 VPN same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:27
S53	3	creat\$4 near10 VPN same circuit\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:27
S54	2	("6154839" "6301229").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/03 08:52
S55	73	VLAN near10 (id\$1 identifier\$1) same flood\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:57
S56	38	VLAN near10 (id\$1 identifier\$1) same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 08:58
S57	1	new near10 VLAN near10 (id\$1 identifier\$1) same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:00
S58	12	new near10 VLAN near10 (id\$1 identifier\$1) same determin\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:01
S59	10	unknown\$4 near10 VLAN near10 (id\$1 identifier\$1) same determin\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:47

EAST Search History

S60	3	search\$4 near10 VLAN near10 (id\$1 identifier\$1) same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:28
S61	38	VLAN near10 (id\$1 identifier\$1) same flood\$4 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:28
S62	21678705	unknown\$4 near10 VLAN near10 (id\$1 identifier\$1) same floodand @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:47
S63	1	unknown\$4 near10 VLAN near10 (id\$1 identifier\$1) same flood and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:47
S64	2	unknown\$4 near10 VLAN near10 (id\$1 identifier\$1) same flood\$6 and @ad<"20011207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/03 09:47